



SL01-T330N

Wi-Fi-Enabled Fingerprint Smart Lock
With 5050 Mortise



Remote
Control



Audio
Instructions



Capacitive
Fingerprint Sensor



Wi-Fi



Random
Passcode



USB Type-C
interface



Compatible With
NGTECO Home App



Introduction

The **SL01-T330N** is a smart lock with a European Standard 5050 mortise, which can connect to Wi-Fi for remote unlocking, password sharing, record tracking, and managing lock users and visitors through a smartphone. In addition, this smart lock offers multiple ways of unlocking including fingerprint, IC card, NFC and pass code.

As a result, SL01-T330N is an ideal door lock management solution for apartments and private houses.

Features



Remote Unlocking With Mobile App

Unlock and manage the lock from anywhere



Audio Instructions

User-friendly audio prompts, support multiple languages



Capacitive Fingerprint Sensor

Fast verification for dry and rough fingers



Temporary Access

Share temporary passcode valid for specific time to friends or guests



NFC

Bind the IC card to your mobile wallet, and unlock your door with your smartphone or your IC card. No worries about misplacing your IC card



Wi-Fi Communication

Ensure a fast and stable by Wi-Fi IEEE 802.11b/g/n (2.4GHz Wi-Fi)



Random Passcode

Add random digits to protect your passcode from prying eyes



USB Type-C interface

Equipped with a commonly used Type-C emergency power interface



Smart Alerts

Receive real-time notifications



Lock Out Mode


Only the administrator can verify to unlock.

Specifications


Material	Housing Material	Aluminium Alloy
	Color Options	Black
Mortise Lock	Backset	50 mm
	Axe Distance	50 mm
	Square Spindle	7.8 mm
	Faceplate (H×W)	22×160 mm; squared standard
Technical	Unlocking Methods	Fingerprint, IC Card, Passcode (6 digits), NGTeco Home APP, Mechanical Key
	Capacity	Fingerprint: 100, Passcode:100, Card:100 Mobile App Records: last 6 months
	Fingerprint Sensor	Capacitive
	Card Reader	IC Card @13.56 MHz NFC Supported
	Audio Prompt Language	English, Spanish, Portuguese, Vietnamese, Thai, Russian, Arabic, Indonesian
	Wireless Communication	Wi-Fi (IEEE 802.11b/g/n) @ 2.4 GHz BLE 5.0 (only for network configuration)
	Emergency Power	USB Type-C Interface, DC 5V
	Power Supply	4× AA Alkaline Batteries
	Battery Life	approximately 10 months * Battery life is estimated based on an average of 10 accesses per day while maintaining the Wi-Fi connection
	Supported App	NGTeco Home
Door Compatibility	Door Type	Wooden Swing Door
	Door Thickness	35 to 60mm (standard)
	Opening Direction	All Direction (reversible lever design)
General	Net Weight	1.3 kg
	Gross Weight	1.55 kg
	Product Dimensions (H×W×T)	Exterior: 265x61x22 mm Interior: 265x61x22 mm
	Package Dimensions (L×W×H)	346×182.5×118 mm
	Operating Temperature	-20°C to 55°C (-4°F to 131°F)
	Operating Humidity	10% to 90% RH (Non-condensing)
	Certifications	CE, FCC
Package Contents	Exterior Assembly, Interior Assembly, Mortise Kit, Mechanical Key * 2, IC Card * 2, Studs & Screws Kit, Installation Template, Installation Guide&User Manual	

Mobile Application


App Control




Share Temporary Password



Check Records



Lock Setup



Compatible With
NGTECO Home App



Download on the
App Store



GET IT ON
Google Play

Applicable Scenarios



Private Houses




Apartments



Short-term Rental

Dimensions(mm)



NGTECO CO., LIMITED

www.ngtecto.com

sale@ngtecto.com



V1.1 06/16/2025

Copyright © 2025 NGTECO CO., LOIMITED. All rights reserved.